

gavin@hchisolarpanel.com
whatsapp: +8615552206756

潍柴博杜安(国二/国三50HZ) Weichai Baudouin (National II/National III 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-W580	520	580	6M33D633E200	114	5000	3.796*1.6*2.093
MG-W600	540	600	6M33D670E200	132	5000	3.796*1.6*2.093
MG-W720	640	720	8M33D800E200	140	7100	4.362*1.992*2.157
MG-W800	720	800	8M33D890E200	158	7300	4.362*1.992*2.157
MG-W700	640	700	12M26D792E200	140	7100	4.362*1.992*2.157
MG-W800	720	800	12M26D902E200	158	7300	4.362*1.992*2.157
MG-W880	800	880	12M26D968E200	176	7300	4.362*1.992*2.157
MG-W1000	900	1000	12M33D1108E200	198	8500	4.748*2.194*2.42
MG-W1100	1000	1100	12M33D1210E200	220	8500	4.748*2.194*2.42
MG-W1200	1100	1200	12M33D1320E200	264	8500	4.748*2.194*2.42
MG-W580	520	580	6M33D633E310	114	5000	3.796*1.6*2.093
MG-W660	600	660	6M33D725E310	132	6900	4.362*1.992*2.157
MG-W700	640	700	8M33D800E310	140	6900	4.362*1.992*2.157
MG-W800	720	800	8M33D895E310	158	7300	4.362*1.992*2.157
MG-W880	800	880	8M33D975E310(备用)	176	7300	4.362*1.992*2.157
MG-W800	720	800	12M33D902E310	158	7300	4.362*1.992*2.157
MG-W900	800	900	12M33D968E310	176	7500	4.362*1.992*2.157
MG-W1000	900	1000	12M33D1108E310	198	8500	4.784*2.194*2.42
MG-W1100	1000	1100	12M33D1240E310	220	8500	4.748*2.194*2.42
MG-W1200	1100	1200	12M33D1320E310	242	8500	4.748*2.194*2.42
MG-W1320	1200	1320	12M33D1500E310	264	12800	7.11*2.15*2.34
MG-W1400	1250	1400	16M33D1530E310	264	12800	7.11*2.15*2.34
MG-W1440	1300	1440	16M33D1580E310	286	12800	7.11*2.15*2.34
MG-W1520	1400	1520	16M33D1680E310	308	12800	7.11*2.15*2.34
MG-W1650	1500	1650	16M33D1800E310	330	12800	7.11*2.15*2.34
MG-W1800	1600	1800	16M33D1980E310(备用)	352	14800	7.11*2.15*2.34
MG-W1800	1600	1800	20M33D2020E310	352	14800	7.11*2.15*2.34
MG-W2000	1800	2000	20M33D2210E310(备用)	396	17000	8.11*2.95*3
MG-W2000	1800	2000	12M55D2210E310	396	17000	8.11*2.95*3
MG-W2200	2000	2200	12M55D2450E310	484	18000	8.11*2.95*3
MG-W2400	2200	2400	12M55D2700E310(备用)			
MG-W2500	2250	2500	16M55D2750E310			
MG-W2650	2400	2650	16M55D2900E310			
MG-W3000	2600	3000	16M55D3300E310			
MG-W3300	3000	3300	16M55D3600E310(备用)			

The Shanghai Diesel Engine Co., Ltd. generator sets produced and operated by our company use the SC series diesel engines newly developed and produced by Shanghai Diesel Engine Co., Ltd., with a power range of 50~700KW, and are mainly used in engineering machinery, trucks, buses, power generation equipment, ships, agricultural machinery and other fields. The units are standardly equipped with self-starting type, and can be equipped with ATS switching cabinet to form a self-starting switching unit.



上柴股份(国二50HZ) SDEC Power (National II 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-S13.2	12	13.2	4Z2.3-G11			
MG-S18	16	18	4Z2.7-G11			
MG-S22	20	22	4Z3.0-G11			
MG-S27.5	25	27.5	4Z3.2-G11			
MG-S35	32	35	4ZT3.2-G11			
MG-S55	50	55	SC4H95D2	12	1200	2.5*0.9*1.51
MG-S70	64	70	SC4H115D2			
MG-S90	80	90	SC4H140D2	22.1	1200	2.5*0.9*1.5
MG-S100	90	100	SC4H160D2	20	970	2.5*0.87*1.34
MG-S110	100	110	SC4H180D2	20	970	2.5*0.87*1.34
MG-S110	100	110	SC7H180D2	20	970	2.5*0.87*1.34
MG-S132	120	132	SC7H205D2	29.8	1300	2.3*0.85*1.3
MG-S145	130	145	SC7H220D2	28	2300	2.7*0.9*1.75
MG-S150	135	150	SC7H230D2	30	2400	2.7*0.9*1.75
MG-S16	150	165	SC7H250D2	33	1380	2.7*0.9*1.8
MG-S180	160	180	SC8D280D2	36	2400	2.7*1*1.5
MG-S200	180	200	SC9D310D2	40	2400	2.7*1*1.5
MG-S220	200	220	SC9D340D2	46	2500	3*1.08*1.7
MG-S250	220	250	SC10E380D2			

上柴股份(国二50HZ) SDEC Power (National II 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-S280	250	280	SC12E420D2	55	2420	3.15*1.24*1.75
MG-S280	250	280	SC13G420D2			
MG-S300	280	300	SC12E460D2	61	3370	3*1.2*1.75
MG-S320	290	320	SC12E480D2	67	3380	3.3*1.34*1.9
MG-S330	300	330	SC15G500D2	67	3380	3.3*1.34*1.9
MG-S330	300	330	SC13E500D2	67	3380	3.3*1.34*1.9
MG-S360	320	360	SC13E550D2	68	3390	3.3*1.34*1.9
MG-S400	360	400	SC25G610D2	90	3650	3.5*1.61*2.11
MG-S450	400	450	SC25G690D2	90	3800	3.5*1.61*2.11
MG-S500	450	500	SC27G755D2	101	3900	3.5*1.61*2.11
MG-S550	500	550	SC27G830D2	110	4200	3.5*1.61*2.11
MG-S600	550	600	SC27G900D2	121	5000	3.5*1.61*2.11
MG-S660	600	660	SC33W990D2	132	4500	4.4*1.69*2.15
MG-S780	700	780	SC33W1150D2	156	5500	4.4*1.7*2.15

上柴股份(国三50HZ) SDEC Power (National III 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-S8.8	8	8.8	3Z1.1-G42			
MG-S11	10	11	3ZT1.1-G42			
MG-S13.2	12	13.2	4Z2.9-G43			
MG-S18	16	18	4Z2.9-G42			
MG-S22	20	22	4Z2.9-G41			
MG-S13.2	12	13.2	4Z2.9-G430			
MG-S18	16	18	4Z2.9-G420			
MG-S22	20	22	4Z2.9-G410			
MG-S27.5	25	27.5	4Z3.2-G42			
MG-S33	30	33	4Z3.2-G41			
MG-S35	32	35	4ZTAA3.2-G33			
MG-S44	40	44	4ZTAA3.2-G32			
MG-S52.5	48	52.5	4ZTAA3.2-G34	11.9	1200	2.3*0.84*1.51
MG-S60	55	60	4ZTAA3.2-G31	14.5	1200	2.3*0.84*1.51
MG-S66	60	66	4ZTAA3.5-G31			
MG-S44	40	44	4HTAA4.3-G31			
MG-S55	50	55	4HTAA4.3 -G32			

上柴股份(国三50HZ) SDEC Power (National III 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-S70	64	70	4HTAA4.3-G33			
MG-S90	80	90	4HTAA4.3 -G34	22.1	1200	2.5*0.9*1.5
MG-S100	90	100	4HTAA4.3-G35	24.7	970	2.5*0.87*1.34
MG-S120	110	120	4HTAA4.3-G36	29.1	1070	2.7*0.9*1.5
MG-S120	110	120	6HTAA6.5-G31	29.1	1070	2.7*0.9*1.5
MG-S132	120	132	6HTAA6.5 -G32	29.8	1300	2.3*0.85*1.3
MG-S150	135	150	6HTAA6.5-G35			
MG-S165	150	165	6HTAA6.5-G33	39.2	1380	2.7*0.9*1.8
MG-S180	160	180	6HTAA6.5-G34	43.4	2400	2.7*1*1.5
MG-S180	160	180	6DTAA8.9-G31	43.4	2400	2.7*1*1.5
MG-S200	180	200	6DTAA8.9-G32	48.9	2400	2.7*1*1.5
MG-S220	200	220	6DTAA8.9-G33	53.6	2500	3*1.08*1.7
MG-S250	220	250	6DTAA8.9-G34	59.4	2500	3*1.08*1.7
MG-S280	250	280	6ETAA11.8-G32	55	2420	3.15*1.24*1.75
MG-S300	280	300	6ETAA11.8-G33	61.6	3370	3*1.2*1.75
MG-S330	300	330	6ETAA11.8-G31	66	3380	3.3*1.34*1.9
MG-S450	400	450	6KTAA25-G36	88	3800	3.5*1.61*2.11
MG-S500	450	500	6KTAA25-G35	99	3900	3.5*1.61*2.11
MG-S550	500	550	6KTAA25-G34	110	4200	3.5*1.61*2.11
MG-S600	560	600	6KTAA25-G33	121	5000	3.5*1.61*2.11
MG-S660	600	660	6KTAA25-G32	132	4500	4.4*1.69*2.15
MG-S720	660	720	6KTAA25-G31	143	5500	4.4*1.7*2.15
MG-S660	600	660	6KTAA25-G37	132	4500	4.4*1.69*2.15
MG-S450	400	450	12GTAA27-G34	88	3800	3.5*1.61*2.11
MG-S500	450	500	12GTAA27-G33	99	39000	3.5*1.61*2.11
MG-S550	500	550	12GTAA27-G32	110	4200	3.5*1.61*2.11
MG-S620	560	620	12GTAA27-G31	121	5000	3.5*1.61*2.11
MG-S800	720	800	6KTAA25-G320	160.16	6500	5.8*1.7*2.15
MG-S880	800	880	6KTAA25-G321			
MG-S800	720	800	6WTAA35-G32	160.16	6500	5.8*1.7*2.15
MG-S880	800	880	6WTAA35-G31			
MG-S1000	900	1000	6WTAA35-G310	215	8300	6.8*1.6*2.3
MG-S1100	1000	1100	6WTAA35-G311	231	8300	6.8*1.6*2.3

上柴股份(国三50HZ) SDEC Power (National III 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-S1200	1100	1200	12KTA58-G36	255	8300	6.8*1.6*2.3
MG-S1350	1250	1350	12KTA58-G35			
MG-S1500	1350	1500	12KTA58-G34	288	9500	7.8*1.6*2.5
MG-S1650	1500	1650	12KTA58-G33	319	9800	8.3*1.6*2.5
MG-S1800	1600	1800	12KTA58-G32	336	9800	8.3*1.6*2.5
MG-S2000	1800	2000	12KTA58-G31			

上柴双速机(国二/国三双速) SDEC Power two-speed engine (National II/National III two-speed)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-S13.2	50HZ:12 60HZ:16	50HZ:13.2 60HZ:18	4Z2.3-G21			
MG-S18	50HZ:16 60HZ:20	50HZ:18 60HZ:22	4Z2.7-G21			
MG-S22	50HZ:20 60HZ:24	50HZ:22 60HZ:26.4	4Z3.0-G21			
MG-S27.5	50HZ:25 60HZ:32	50HZ:27.5 60HZ:35	4Z3.2-G21			
MG-S35	50HZ:32 60HZ:35	50HZ:35 60HZ:38.5	4ZT3.2-G21			
MG-S45	50HZ:40 60HZ:50	50HZ:45 60HZ:55	4ZT3.5-G21			
MG-S55	50HZ:50 60HZ:60	50HZ:55 60HZ:66	4ZT4.1-G21			
MG-S60	50HZ:55 60HZ:64	50HZ:60 60HZ:70	4ZTAA4.1-G21	12	1200	2.5*0.84*1.51
MG-S70	50HZ:64 60HZ:70	50HZ:70 60HZ:77	4ZTAA4.1-G31			
MG-S44	50HZ:40 60HZ:50	50HZ:44 60HZ:55	4HT4.3-G21			
MG-S55	50HZ:50 60HZ:55	50HZ:55 60HZ:60	4HT4.3-G22			
MG-S70	50HZ:64 60HZ:72	50HZ:70 60HZ:80	4HT4.3-G23			
MG-S90	50HZ:80 60HZ:90	50HZ:90 60HZ:100	4HTAA4.3-G21	22.1	1200	2.5*0.9*1.5
MG-S100	50HZ:90 60HZ:100	50HZ:100 60HZ:110	4HTAA4.3-G23	24.7	970	2.5*0.87*1.34
MG-S110	50HZ:100 60HZ:100	50HZ:110 60HZ:110	4HTAA4.3-G22			

上柴双速机(国二/国三双速) SDEC Power two-speed engine (National II/National III two-speed)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-S120	50HZ:110 60HZ:120	50HZ:120 60HZ:132	6HTAA6.5-G21	24	1070	2.7*0.9*1.75
MG-S132	50HZ:120 60HZ:128	50HZ:132 60HZ:140	6HTAA6.5-G22	29.8	1300	2.3*0.85*1.3
MG-S165	50HZ:150 60HZ:165	50HZ:165 60HZ:180	6HTAA6.5-G23	33	1380	2.7*0.9*1.8
MG-S180	50HZ:160 60HZ:180	50HZ:180 60HZ:200	6DTAA8.9-G21	36	2400	2.7*1*1.5
MG-S200	50HZ:180 60HZ:200	50HZ:200 60HZ:220	6DTAA8.9-G24	48.9	2400	2.7*1*1.5
MG-S220	50HZ:200 60HZ:220	50HZ:220 60HZ:240	6DTAA8.9-G23	53.6	2500	3*1.08*1.7
MG-S280	50HZ:250 60HZ:280	50HZ:280 60HZ:300	6ETAA11.8-G22	55	2420	3.15*1.24*1.75
MG-S280	50HZ:280 60HZ:280	50HZ:300 60HZ:300	6ETAA11.8-G21	55	2420	3.15*1.24*1.75
MG-S320	50HZ:300 60HZ:320	50HZ:330 60HZ:360	6ETAA12.8-G22	66	3380	3.3*1.34*1.9
MG-S320	50HZ:320 60HZ:320	50HZ:360 60HZ:360	6ETAA12.8-G21	66	3380	3.3*1.34*1.9
MG-S360	50HZ:320 60HZ:360	50HZ:360 60HZ:400	6ETAA12.8-G32	72.6	3650	3.46*1.35*2
MG-S待定	50HZ:360 60HZ:待定	50HZ:400 60HZ:待定	6ETAA12.8-G31	79.2	3650	3.5*1.57*1.98
MG-S待定	50HZ:400 60HZ:待定	50HZ:440 60HZ:待定	6ETAA12.8-G310	88	3800	3.5*1.61*2.11
MG-S400	50HZ:待定 60HZ:400	50HZ:待定 60HZ:440	6ETAA12.8-G310.1	79.2	3650	3.5*1.57*1.98
MG-S450	50HZ:400 60HZ:450	50HZ:450 60HZ:500	6KTAA25-G311	88	3800	3.5*1.61*2.11
MG-S500	50HZ:450 60HZ:500	50HZ:500 60HZ:550	6KTAA25-G310	99	3900	3.5*1.61*2.11
MG-S560	50HZ:500 60HZ:560	50HZ:560 60HZ:600	6KTAA25-G39	110	4200	3.5*1.61*2.11
MG-S560	50HZ:560 60HZ:560	50HZ:600 60HZ:600	6KTAA25-G38	121	5000	3.5*1.61*2.11
MG-S600	50HZ:待定 60HZ:600	50HZ:待定 60HZ:660	6KTAA25-G32.1	121	5000	3.5*1.61*2.11
MG-S660	50HZ:待定 60HZ:660	50HZ:待定 60HZ:720	6KTAA25-G31.1	132	4500	4.4*1.69*2.15