



我公司生产经营的玉柴柴油发电机组采用广西玉柴机器股份有限公司生产的YC系列发动机。机组产品功率强劲，在海拔2000m以下能输出铭牌额定功率，每12小时运行周期内允许有1小时输出额定功率110%超负载功率，燃油消耗率和润滑油消耗率远优于国内同类产品，具有震动低、噪声小、可靠性高等特点。

The Yuchai diesel generator sets produced and operated by our company use YC series engines produced by Guangxi Yuchai Machinery Co., Ltd. The units are powerful and can output the nameplate rated power at an altitude below 2,000m. They are allowed to output 110% of the rated power for 1 hour in every 12-hour operation cycle. The fuel consumption rate and lubricating oil consumption rate are far superior to similar domestic products. They have the characteristics of low vibration, low noise and high reliability.



广西玉柴(国二50HZ) Guangxi Yuchai (National II 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-Y20	16	20	YC4V35-D20	3.52	300	0.87*0.56*0.75
MG-Y26	24	26	YC4V45Z-D20	4.84	320	0.93*0.615*0.9
MG-Y33	30	33	YC4V55Z-D20	5.94	350	0.93*0.65*0.9
MG-Y33	30	33	YC4D60-D25	5.94	350	0.93*0.65*0.9
MG-Y55	50	55	YC4D90Z-D25	12	450	1.06*0.77*1.01
MG-Y64	60	64	YC4A100Z-D25	14	450	1.06*0.77*1.01
MG-Y90	80	90	YC4A140L-D25	16	450	1.06*0.77*1.01
MG-Y110	100	110	YC4A180L-D20	24	1400	1.8*0.76*1.5
MG-Y110	100	110	YC6B180L-D20	24	1450	2.5*1*1.6
MG-Y132	120	132	YC6B205L-D20	26	1500	2.4*0.85*1.5
MG-Y160	150	160	YC6A245L-D21	33	1800	3.9*1.2*1.8
MG-Y220	200	220	YC6MK350L-D20	45	2140	3.1*1.1*1.7
MG-Y280	250	280	YC6MK420L-D20	57	2500	3.1*1.1*1.7
MG-Y330	300	330	YC6MJ500L-D21	66	2800	3.1*1.1*1.7
MG-Y400	360	400	YC6T600L-D22	79	3300	2.05*1.65*1.6
MG-Y440	400	440	YC6T660L-D20	88	4200	3.95*1.1*2
MG-Y20	16	20	YC4V35-D20	3.52	300	0.87*0.56*0.75
MG-Y26	24	26	YC4V45Z-D20	4.84	320	0.93*0.615*0.9

广西玉柴(国二50HZ) Guangxi Yuchai (National II 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-Y33	30	33	YC4V55Z-D20	5.94	350	0.93*0.65*0.9
MG-Y33	30	33	YC4D60-D21	5.94	350	0.93*0.65*0.9
MG-Y55	50	55	YC4D90Z-D21	12	450	1.06*0.77*1.01
MG-Y64	60	64	YC4A100Z-D20	14	450	1.06*0.77*1.01
MG-Y110	100	110	YC6B180L-D20	24	450	1.06*0.77*1.01
MG-Y150	140	150	YC6A230L-D20	33	1800	3.9*1.2*1.8
MG-Y220	200	220	YC6MK350L-D20	45	2140	3.1*1.1*1.7

玉柴国二整机50HZ Yuchai National II complete machine 50HZ							
机组型号 Unit Model (整机需提前向 玉柴报备)	机组输出 Unit output		产品型号 Product Model	发电机型号 generator model	油耗 Fuel(L/H)	参考重量 Weight(kg)	参考机组尺寸 Size(m)
	主用功率(kW) Prime	备用功率(kW) Standby					
The whole machine needs to be reported to Yuchai in advance	16	20	YC4V35-D20	YC-16-4	3.52	300	0.87*0.56*0.75
	24	26	YC4V45Z-D20	YC-25-4	4.84	320	0.93*0.615*0.9
	30	33	YC4V55Z-D20	YC-30-4	5.94	350	0.93*0.65*0.9
	30	33	YC4D60-D25	YC-30-4	5.94	350	0.93*0.65*0.9
	50	55	YC4D90Z-D25	YC-50-4	12	450	1.06*0.77*1.01
	60	64	YC4A100Z-D25	YC-64-4	14	450	1.06*0.77*1.01
	80	90	YC4A140L-D25	YC-80-4	16	450	1.06*0.77*1.01
	100	110	YC4A180L-D20	YC-100-4	24	1400	1.8*0.76*1.5
	100	110	YC6B180L-D20	YC-100-4	24	1450	2.5*1*1.6
	120	132	YC6B205L-D20	YC-120-4	26	1500	2.4*0.85*1.5
	150	160	YC6A245L-D21	YC-150-4	33	1800	3.9*1.2*1.8
	200	220	YC6MK350L-D20	YC-200-4	45	2140	3.1*1.1*1.7
	250	280	YC6MK420L-D20	YC-250-4	57	2500	3.1*1.1*1.7
	300	330	YC6MJ500L-D21	YC-300-4	66	2800	3.1*1.1*1.7
	360	400	YC6T600L-D22	YC-360-4	79	3300	2.05*1.65*1.6
	400	440	YC6T660L-D20	YC-400-4	88	4200	3.95*1.1*2
	16	20	YC4V35-D20	YC-16-4	3.52	300	0.87*0.56*0.75
	24	26	YC4V45Z-D20	YC-25-4	4.84	320	0.93*0.615*0.9
	30	33	YC4V55Z-D20	YC-30-4	5.94	350	0.93*0.65*0.9
	30	33	YC4D60-D21	YC-30-4	5.94	350	0.93*0.65*0.9
	50	55	YC4D90Z-D21	YC-50-4	12	450	1.06*0.77*1.01
	60	64	YC4A100Z-D20	YC-64-4	14	450	1.06*0.77*1.01
	100	110	YC6B180L-D20	YC-100-4	24	450	1.06*0.77*1.01
	140	150	YC6A230L-D20	YC-145-4	33	1800	3.9*1.2*1.8
	200	220	YC6MK350L-D20	YC-200-4	45	2140	3.1*1.1*1.7

广西玉柴(国三50HZ) Guangxi Yuchai (National III 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-Y50	45	50	YC4D80-D34	9.9	750	1.5*0.73*1.3
MG-Y55	50	55	YC4D90-D34	11	1090	1.85*0.65*1.4
MG-Y64	60	64	YC4DI05-D34	13	1300	2.4*0.9*1.3
MG-Y90	80	90	YC4DI40-D3I	17	1400	1.8*0.76*1.5
MG-YI00	90	100	YC4DI55-D3I	19	1340	2.5*0.9*1.5
MG-Y90	80	90	YC4AI40-D30	17	1430	2.5*1*1.6
MG-YI00	90	100	YC4AI55-D30	19	1320	1.6*0.7*1.5
MG-YI00	90	100	YC4AI65-D30	19	1320	1.6*0.7*1.5
MG-YI20	110	120	YC4AI90-D30	24	2500	2.9*1.2*1.4
MG-YI30	120	130	CD6Q23H8-2I0	26	1600	2.5*1*1.6
MG-YI80	160	180	CD6Q33H6-260	35	2500	3*1.2*1.4
MG-YI32	120	1 32	YC6A205-D30	26	1600	2.9*1.2*1.4
MG-YI50	140	1 50	YC6A230-D30	30	1600	2.5*1*1.6
MG-YI60	150	160	YC6A245-D30	33	2500	2.9*1.2*1.4
MG-YI80	160	180	YC6A275-D30	35	2500	3*1.2*1.4
MG-Y220	200	220	YCA08350-D30	44	2140	3.1*1.1*1.7
MG-Y220	200	220	YC6MK350-D30	44	2140	3.1*1.1*1.7
MG-Y280	250	280	YC6MK420-D30	52	2500	3.1*1.1*1.7
MG-Y300	270	300	IC6MK450-D30	59	4200	3.95*1.1*2
MG-Y330	300	330	YC6MJ500-D30	66	2800	3.1*1.1*1.8
MG-Y360	320	360	YC6MJ540-D30	70	3300	3.1*1.1*1.9
MG-Y400	360	400	YC6MJ600-D30	79	3300	3.1*1.1*1.9
MG-Y320	300	320	YC6K500-D3I	66	2800	3.1*1.1*1.8
MG-Y320	300	320	YC6K500-D30	66	2800	3.1*1.1*1.8
MG-Y340	320	340	YC6K520-D30	70	3300	3.1*1.1*1.9
MG-Y400	360	400	YC6K600-D30	79	3300	3.1*1.1*1.9
MG-Y440	400	440	YC6K660-D30	88	4200	3.95*1.1*2
MG-Y440	400	440	YC6T660-D3I	88	4200	3.95*1.1*2
MG-Y500	450	500	YC6TD780-D3I	99	4100	4*1.43*2.05
MG-Y550	500	550	YC6TD840-D3I	110	4100	4*1.43*2.05
MG-Y600	550	600	YC6TD900-D3I	118	4100	4*1.43*2.05
MG-Y500	450	500	YC6TD780-D30	99	4100	4*1.43*2.05
MG-Y550	500	550	YC6TD840-D30	110	4100	4*1.43*2.05

广西玉柴(国三50HZ) Guangxi Yuchai (National III 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-Y600	550	600	YC6TD900-D30	118	4100	4*1.43*2.05
MG-Y660	600	660	YC6TDI000-D30	132	7500	4.7*1.5*2.05
MG-Y700	636	700	YC6TDII00-D30	140	7500	4.7*1.5*2.05
MG-Y720	650	720	YC6THI070-D3I	140	7500	4.7*1.5*2.05
MG-Y800	730	800	YC6THI220-D3I	160	7500	4.7*1.5*2.05
MG-Y900	800	900	YC6THI320-D3I	176	7500	4.75*1.5*2.05
MG-Y660	600	660	YC6CI020-D3I	132	7500	4.7*1.5*2.05
MG-Y710	650	710	YC6CI070-D3I	140	7500	4.7*1.5*2.05
MG-Y800	730	800	YC6CI220-D3I	160	7500	4.7*1.5*2.05
MG-Y900	800	900	YC6CI320-D3I	176	7500	4.75*1.5*2.05
MG-YI000	900	1000	YC6CI520-D3I	198	7500	4.75*1.5*2.05
MG-YII00	1000	1100	YC6CI660-D3I	220	13350	6.5*2.3*2.6
MG-YII00	1000	1100	YC6CI660-D30	220	13350	6.5*2.3*2.6
MG-Y900	800	900	YC12VTDI350-D30	180	13350	6.5*2.3*2.6
MG-YI000	900	1000	YC12VTDI500-D30	198	13350	6.5*2.3*2.6
MG-YII00	1000	1100	YC12VTDI680-D30	220	13350	6.5*2.3*2.6
MG-YI200	1100	1200	YC12VTDI830-D30	242	13350	6.5*2.3*2.6
MG-YI300	1200	1300	YC12VTD2000-D30	264	13350	6.5*2.3*2.6
MG-YI350	1200	1350	YC12VC2070-D3I	264	13350	6.5*2.3*2.6
MG-YI500	1350	1500	YC12VC2270-D3I	290	13350	6.5*2.3*2.6
MG-YI650	1500	1650	YC12VC2510-D3I	330	13350	6.5*2.3*2.6
MG-YI800	1700	1800	YC12VC2700-D3I	374	15350	7.5*2.3*2.8
MG-Y2000	1800	2000	YC12VC3000-D30	396	15500	7.63*2.3*3
MG-YI500	1350	1500	YC16VTD2270-D30	290	13350	6.5*2.3*2.6
MG-YI650	1500	1650	YC16VTD2510-D30	330	13350	6.5*2.3*2.6
MG-YI800	1600	1800	YC16VTD2700-D30	374	15350	7.5*2.3*2.8
MG-Y2000	1800	2000	YC16VC3000-D3I	396	15500	7.63*2.3*3
MG-Y2200	2000	2200	YC16VC3300-D3I	440	16500	7.73*2.3*3
MG-Y2400	2200	2400	YC16VC3600-D3I	484	18100	7.8*3.1*3
MG-Y2600	2400	2600	YC16VC4000-D3I			
MG-Y2800	2500	2800	YC16VC4200-D30			
MG-Y3000	2700	3000	YC16VC4500-D30			
MG-Y3300	3000	3300	YC16VC4900-D30			

玉柴国三整机50HZ Yuchai National III complete machine 50HZ							
机组型号 Unit Model (整机需提前向 玉柴报备)	机组输出 Unit output		产品型号 Product Model	发电机型号 generator model	油耗 Fuel(L/H)	参考重量 Weight(kg)	参考机组尺寸 Size(m)
	主用功率(kW) Prime	备用功率(kW) Standby					
The whole machine needs to be reported to Yuchai in advance	45	50	YC4D80-D34	YC-50-4	9.9	750	1.8*0.76*1.5
	50	55	YC4D90-D34	YC-50-4	11	1090	1.85*0.65*1.4
	60	64	YC4DI05-D34	YC-64-4	13	1300	2.4*0.9*1.3
	80	90	YC4DI40-D3I	YC-80-4	17	1400	1.8*1.76*1.5
	90	100	YC4DI55-D3I	YC-90-4	19	1340	2.5*0.9*1.5
	80	90	YC4AI40-D30	YC-80-4	17	1430	2.5*1*1.6
	90	100	YC4AI55-D30	YC-90-4	19	1320	1.6*0.7*1.5
	90	100	YC4AI65-D30	YC-90-4	19	1320	1.6*0.7*1.50
	110	120	YC4AI90-D30	YC-110-4	24	2500	2.9*1.2*1.4
	120	130	CD6Q23H8-210	YC-120-4	26	1600	2.5*1*1.6
	160	180	CD6Q33H6-260	YC-160-4	35	2500	2.9*1.2*1.4
	120	132	YC6A205-D30	YC-120-4	26	1600	2.5*1*1.6
	140	150	YC6A230-D30	YC-145-4	30	1600	2.5*1*1.6
	150	160	YC6A245-D30	YC-150-4	33	2500	2.9*1.2*1.4
	160	180	YC6A275-D30	YC-160-4	35	2500	3*1.2*1.4
	200	220	YCA08350-D30	YC-200-4	44	2140	3.1*1.1*1.7
	200	220	YC6MK350-D30	YC-200-4	44	2140	3.1*1.1*1.7
	250	280	YC6MK420-D30	YC-250-4	52	2500	3.1*1.1*1.7
	270	300	1C6MK450-D30	YC-280-4	59	4200	3.95*1.1*2
	300	330	YC6MJ500-D30	YC-300-4	66	2800	3.1*1.1*1.8
	320	360	YC6MJ540-D30	YC-320-4	70	3300	3.1*1.1*1.9
	360	400	YC6MJ600-D30	YC-360-4	79	3300	3.1*1.1*1.9
	300	320	YC6K500-D3I	YC-300-4	66	2800	3.1*1.1*1.8
	300	320	YC6K500-D30	YC-300-4	66	2800	3.1*1.1*1.8
	320	340	YC6K520-D30	YC-320-4	70	3300	3.1*1.1*1.9
	360	400	YC6K600-D30	YC-360-4	79	3300	3.1*1.1*1.9
	400	440	YC6K660-D30	YC-400-4	88	4200	3.95*1.1*2
	400	440	YC6T660-D3I	YC-400-4	88	4200	3.95*1.1*2
	450	500	YC6TD780-D3I	YC-450-4	99	4100	4.05*1.05*2.05
	500	550	YC6TD840-D3I	YC-500-4	110	4100	4*1.43*2.05
	550	600	YC6TD900-D3I	YC-560-4	118	4100	4*1.43*2.05
	450	500	YC6TD780-D30	YC-450-4	99	4100	4.05*1.05*2.05
	500	550	YC6TD840-D30	YC-500-4	110	4100	4*1.43*2.05

玉柴国三整机50HZ Yuchai National III complete machine 50HZ							
机组型号 Unit Model (整机需提前向 玉柴报备)	机组输出 Unit output		产品型号 Product Model	发电机型号 generator model	油耗 Fuel(L/H)	参考重量 Weight(kg)	参考机组尺寸 Size(m)
	主用功率(kW) Prime	备用功率(kW) Standby					
The whole machine needs to be reported to Yuchai in advance	550	600	YC6TD900-D30	YC-560-4	118	4100	4*1.43*2.05
	600	660	YC6TDI000-D30	YC-600-4	132	7500	4.7*1.5*2.05
	636	700	YC6TDI100-D30	YC-640-4	140	7500	4.7*1.5*2.05
	650	720	YC6THI070-D3I	YC-730-4	140	7500	4.7*1.5*2.05
	730	800	YC6THI220-D3I	YC-730-4	160	7500	4.7*1.5*2.05
	800	900	YC6THI320-D3I	YC-800-4	176	7500	4.75*1.5*2.05
	600	660	YC6CI020-D3I	YC-600-4	132	7500	4.7*1.5*2.05
	650	710	YC6CI070-D3I	YC-730-4	140	7500	4.7*1.5*2.05
	730	800	YC6CI220-D3I	YC-730-4	160	7500	4.7*1.5*2.05
	800	900	YC6CI320-D3I	YC-800-4	176	7500	4.75*1.5*2.05
	900	1000	YC6CI520-D3I	YC-900-4	198	7500	4.75*1.5*2.05
	1000	1100	YC6CI660-D3I	YC-1000-4	220	13350	6.5*2.3*2.6
	1000	1100	YC6CI660-D30	YC-1000-4	220	13350	6.5*2.3*2.6
	800	900	YC12VTDI350-D30	YC-800-4	176	7500	4.75*1.5*2.05
	900	1000	YC12VTDI500-D30	YC-900-4	198	7500	4.75*1.5*2.05
	1000	1100	YC12VTDI680-D30	YC-1000-4	220	13350	6.5*2.3*2.6
	1100	1200	YC12VTDI830-D30	YC-1120-4	242	13350	6.5*2.3*2.6
	1200	1300	YC12VTD2000-D30	YC-1200-4	264	13350	6.5*2.3*2.6
	1200	1350	YC12VC2070-D3I	YC-1200-4	264	13350	6.5*2.3*2.6
	1350	1500	YC12VC2270-D3I	YC-1520-4	290	13350	6.5*2.3*2.6
	1500	1650	YC12VC2510-D3I	YC-1520-4	330	13350	6.5*2.3*2.6
	1700	1800	YC12VC2700-D3I	YC-1720-4	374	15350	7.5*2.3*2.8
	1800	2000	YC12VC3000-D30	YC-1800-4	396	15500	7.63*2.3*3
	1350	1500	YC16VTD2270-D30	YC-1520-4	290	13350	6.5*2.3*2.6
	1500	1650	YC16VTD2510-D30	YC-1520-4	330	13350	6.5*2.3*2.6
	1600	1800	YC16VTD2700-D30	YC-1600-4	374	15350	7.5*2.3*2.8
	1800	2000	YC16VC3000-D3I	YC-1800-4	396	15500	7.63*2.3*3
	2000	2200	YC16VC3300-D3I	YC-2000-4	440	16500	7.73*2.3*3
	2200	2400	YC16VC3600-D3I	YC-2200-4	484	18100	7.8*3.1*3
	2400	2600	YC16VC4000-D3I	YC-2400-4			
	2500	2800	YC16VC4200-D30	YC-2500-4			
	2700	3000	YC16VC4500-D30	YC-2800-4			
	3000	3300	YC16VC4900-D30	YC-3000-4			

广西玉柴(国四50HZ) Guangxi Yuchai (National IV 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-Y17.5	16	17.5	YCDV254FHZ-25	3.52	300	0.87*0.56*0.75
MG-Y22	20	22	YCDV254FHZ-35			
MG-Y26.4	24	26.4	YCDV254FHZ-40			
MG-Y33	30	33	YCDV254FHZ-50	6.6	810	2*0.78*1.35
MG-Y44	40	44	YCD4V33H6-75	8.8	1000	1.85*0.65*1.4
MG-Y55	50	55	YCA0590-D40	11	1090	1.85*0.65*1.4
MG-Y64	60	64	YCA05105-D40	13	1300	2.4*0.9*1.3
MG-Y70	64	70	YCA05120-D40			
MG-Y88	80	88	YCA05140-D40	17	1150	1.8*0.76*1.5
MG-Y100	90	100	YCA05165-D40	19	1340	2.5*0.9*1.5
MG-Y120	110	120	YCA05190-D40	24	1400	1.8*0.76*1.5
MG-Y132	120	132	YCA05210-D40	26	1500	2.4*0.85*1.5

玉柴国四整机50HZ Yuchai National IV complete machine 50HZ							
机组型号 Unit Model (整机需提前向 玉柴报备)	机组输出 Unit output		产品型号 Product Model	发电机型号 generator model	油耗 Fuel(L/H)	参考重量 Weight(kg)	参考机组尺寸 Size(m)
	主用功率(kW) Prime	备用功率(kW) Standby					
The whole machine needs to be reported to Yuchai in advance	16	17.5	YCDV254FHZ-25	YC-16-4	3.52	300	0.87*0.56*0.75
	20	22	YCDV254FHZ-35	YC-20-4			
	24	26.4	YCDV254FHZ-40	YC-25-4			
	30	33	YCDV254FHZ-50	YC-30-4	6.6	810	2*0.78*1.35
	40	44	YCD4V33H6-75	YC-40-4	8.8	1000	1.85*0.65*1.4
	50	55	YCA0590-D40	YC-50-4	11	1090	1.85*0.65*1.4
	60	64	YCA05105-D40	YC-64-4	13	1300	2.4*0.9*1.3
	64	70	YCA05120-D40	YC-64-4			
	80	88	YCA05140-D40	YC-80-4	17	1150	1.8*0.76*1.5
	90	100	YCA05165-D40	YC-90-4	19	1340	2.5*0.9*1.5
	110	120	YCA05190-D40	YC-110-4	24	1400	1.8*0.76*1.5
	120	132	YCA05210-D40	YC-120-4	26	1500	2.4*0.85*1.5

广西玉柴备用(国二/国三50HZ) Guangxi Yuchai spare (National II/National III 50HZ)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-Y300	280	300	YC6MK460L-D20	59	4200	3.95*1.1*2
MG-Y440	400	440	YC6MJ660-D30	88	4200	3.95*1.1*2
MG-Y500	454.55	500	YC6K780-D30	99	4100	4.05*1.05*2.05
MG-Y500	454.55	500	YC6T780-D31	99	4100	4.05*1.05*2.05
MG-Y550	500	550	YC6TC840-D31	110	4100	4*1.43*2.05
MG-Y600	545.45	600	YC6TC900-D31	118	4100	4*1.43*2.05
MG-Y1000	909.09	1000	YC6TF1520-D31	198	7500	4.75*1.5*2.05
MG-Y1100	1000	1100	YC6TF1660-D31	220	13350	6.5*2.3*2.6

广西玉柴双速机(国二/国三双速) Guangxi Yuchai two-speed engine (National II/National III two-speed)						
机组型号 Unit Model	机组输出 Unit output		产品型号 Product Model	油耗(L/H) Fuel	参考重量(kg) Weight	参考机组尺寸(m) Size
	主用功率(kW) Prime	备用功率(kW) Standby				
MG-Y55	50HZ:50 60HZ:54	50HZ:55 60HZ:60	YC4DI00Z-D20	11	1090	1.85*0.65*1.4
MG-Y88	50HZ:80 60HZ:90	50HZ:88 60HZ:100	YC6B160Z-D20	17	1400	1.8*0.76*1.5
MG-Y132	50HZ:120 60HZ:120	50HZ:132 60HZ:132	YC6B210L-D20	26	1500	2.4*0.85*1.5
MG-Y220	50HZ:200 60HZ:200	50HZ:220 60HZ:220	YC6MV360L-D20	44	2140	3.1*1.1*1.7
MG-Y280	50HZ:250 60HZ:250	50HZ:280 60HZ:280	YC6MK420L-D21	57	2500	3.1*1.1*1.7
MG-Y330	50HZ:300 60HZ:300	50HZ:330 60HZ:330	YC6MJ515L-D22	66	2800	3.1*1.1*1.7
MG-Y440	50HZ:400 60HZ:400	50HZ:440 60HZ:440	YC6T660L-D21	88	4200	3.95*1.1*2
MG-Y550	50HZ:500 60HZ:500	50HZ:550 60HZ:550	YC6TD840-D31	110	4100	4*1.43*2.05
MG-Y900	50HZ:800 60HZ:800	50HZ:900 60HZ:900	YC12VTD1350-D32	176	7500	4.75*1.5*2.05
MG-Y1000	50HZ:900 60HZ:900	50HZ:1000 60HZ:1000	YC12VTD1500-D32	198	13350	6.5*2.3*2.6
MG-Y1100	50HZ:1000 60HZ:1000	50HZ:1100 60HZ:1100	YC12VTD1680-D32	220	13350	6.5*2.3*2.6
MG-Y1100	50HZ:1000 60HZ:1100	50HZ:1100 60HZ:1200	YC12VTD1860-D32	242	13350	6.5*2.3*2.6
MG-Y1100	50HZ:1000 60HZ:1200	50HZ:1100 60HZ:1300	YC12VTD2070-D32	264	13350	6.5*2.3*2.6